


# Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study



A biological process is a cost effective method and are frequently applied for the decolourisation of textile dyes. Decolourisation of methyl orange and methyl red by live and dead biomass of fungi was studied. Three different fungi including *Aspergillus niger*, *Trichoderma viridae* and *Penicillium verrucosum* were evaluated for proportion of decolourisation of methyl orange and methyl red. Biodegradation of dyes is extremely difficult; therefore research is carried out on this subject.

[\[PDF\] The Illustrated Encyclopedia of Buddhist Wisdom](#)

[\[PDF\] Manual of Online Search Strategies: Sciences](#)

[\[PDF\] The Healing Magic of Music](#)

[\[PDF\] English Grammar Flipper \(Basic Facts Handy Reference Flipper\)](#)

[\[PDF\] Nuevas tiendas y boutiques / New Stores and Boutiques \(Arquitectura Y Diseno / Architecture and Design\) \(Spanish Edition\)](#)

[\[PDF\] Bibliographie Huguenote Du Dauphine Pendant Les Trois Derniers Siecles \(Generalites\) \(French Edition\)](#)

[\[PDF\] Our Deceased Loved Ones Communicating with Us: They Just Want to be Remembered](#)

**Decolorization of mixture of dyes: A critical review - SlideShare** In the study, a variety of physical adsorbents (Bio-sorbents) were chosen for the Orange and Methyl Red dyes i.e. 85% and 83% respectively followed by the results on Moringa dye for comparison. ... Dye removal by immobilized fungi. **role of bio-sorbents in the decolorization of some commonly used dyes** Feb 20, 2014 Fungal Decolourisation of Methyl Orange and Methyl Red. A Comparative Study. LAP LAMBERT Academic Publishing (2014-02-20 ). **Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3** Dec 24, 2014 The biodegradation of Direct Red 81 was monitored by UV-Visible, FT-IR In this study, we have used isolated *Enterococcus faecalis* YZ 66 to . in *Micrococcus* sp. in the decolorization of 300 mg/L of Orange MR [28]. (for Metanil Yellow) [32], *Sphingomonas paucimobilis* (for Methyl Red) [33], and in **Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3** Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3-659-51669-6, 9783659516696, 3659516694, Decolourisation of methyl orange and methyl red by live and dead biomass of fungi was studied. A Comparative Study. **NEW Fungal Decolourisation of Methyl Orange and Methyl Red - eBay** : Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study (9783659516696) by Lakshmi, A.G.Raja and a great selection **MDPI - Semantic Scholar** Jun 10, 2013 A total of twenty endophytic fungi successfully isolated from *Melastoma* their ability to decolourise azo dyes: Congo red, Orange G, and Methyl red and very little studied endophytic fungi isolated from *Melastoma malabathricum* to as well as comparison of internal transcribed spacer (ITS) sequences. **NEW Fungal Decolourisation of Methyl Orange and Methyl Red - eBay** Feb 20, 2014 Fungal Decolourisation of Methyl Orange and Methyl Red. A Comparative Study. LAP LAMBERT Academic Publishing (2014-02-20 ). **NEW Fungal Decolourisation Of Methyl Orange And BOOK - eBay** **Fungal Decolourisation of Methyl Orange and Methyl Red by - eBay** The fed batch decolorization of methyl orange dye

was also studied, in this study 150 Methyl red, Methyl orange, Congo red at the final concentration of 150 mg/l was of decolorizing a wide range of dyes include some bacteria, fungi and algae. . [3], Aksu Z, and Donmez G (2003) A comparative study on the biosorption **NEW Fungal Decolourisation of Methyl Orange and Methyl Red - eBay** methyl orange and methyl red Among the three fungal species, Penicillium The present study was an attempt to develop a cost effective method for dye decolourisation .. Comparative studies of fungal degradation of single or mixed. **Fungal Decolourisation of Methyl Orange and Methyl Red** Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study. Title:Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative **Comparison of live and dead biomass of fungi on decolorization of** Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study. Front Cover. Lakshmi . Lap Lambert Academic Publishing GmbH KG, **Fungal Decolourisation of Methyl Orange and Methyl Red: A** Fungal Decolourisation Of Methyl Orange And Methyl Red. also viewed. NEW Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study . methyl orange and methyl red by live and dead biomass of fungi was studied. **Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3** Feb 20, 2014 Fungal Decolourisation of Methyl Orange and Methyl Red. A Comparative Study. LAP LAMBERT Academic Publishing (2014-02-20 ). **Fungal Decolourisation of Methyl Orange and Methyl Red by - eBay** Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3-659-51669-6, 9783659516696, 3659516694, Decolourisationof methyl orange and methyl red by live and dead biomass of fungi was studied. A Comparative Study. **Decolorization and detoxification of sulfonated toxic diazo dye C.I.** Nov 12, 2013 Abstract The present study aimed at assessing the ability of Pseudomonas spp. to decolorize and degrade ETL-M decolorized the repeated addition of methyl orange dye up to four cycles with . Congo red at the final concentration of 150 mg/l was used . are preferred over fungi for dye decolorization. **9783659516696: Fungal Decolourisation of Methyl Orange and** Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study . Three different fungi including Aspergillus niger, Trichoderma viridae and May 21, 2014 The decolourisation of Methyl Orange (MO) and Bismarck Brown (BB) by crude peroxidase from Armoracia rusticana (Horseradish) was studied **Fungal Decolourisation of Methyl Orange and Methyl Red: A** Jan 4, 2012 removal of reactive orange II, reactive black, reactive red and a degradation by fungal metabolism and the adsorption of dye. . major contributors to the biosorption of the reactive azo dyes studied [3032] . Gopalakrishnan, R. Sellappa, S. Decolourisation of methyl orange and methyl red by live and. **Decolourisation of Methyl Orange and Methyl Red by Live - iBrarian** Fungal Decolourisation of Methyl Orange and Methyl Red, 978-3-659-51669-6, 9783659516696, Decolourisationof methyl orange and methyl red by live and dead biomass of fungi was studied. A Comparative Study. **Fungal Decolourisation of Methyl Orange and Methyl Red / 978-3** Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study. Title:Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative **Fungal Decolourisation of Methyl Orange and Methyl Red - AbeBooks** Feb 13, 2015 The review study has been an attempt to present the different diversified . and Basic Red 46 Basic Blue 3 (BB3) and Reactive Orange 16 (RO16) Methyl .. In addition to this, comparative studies were also done using several fungi . Aphoto decolorization of a mixture of textile dyes viz. methyl orange and **Decolorization of mixture of dyes: A critical review - Global Journal of** Dec 11, 2014 This study aimed to decolourise different dyes using two Klebsiella fungi and the physical sorption on living or dead biomass (An et al. .. methyl orange, orange 1 and Congo Red, the final decolourisation .. Xu H. Comparative study on characteristic of azo dye decolorization by indigenous decolorizers. **Textiles - jstor** Fungal Decolourisation of Methyl Orange and Methyl Red A Comparative Study method and are frequently applied for the decolourisation of textile dyes. **Enzymatic decolourisation of Methyl Orange and Bismarck Brown** Decolorization of methyl orange with live and autoclaved biomass fungi were studied. Sixteen different fungi including Fusarium, Trichoderma, Humicola, **Decolourisation of Synthetic Dyes by Endophytic Fungal Flora** studied the efficiency of mucilage isolated from fruits of. Coccinia indica for the A comparative operating cost provides better decolourisation results when the reactive dye bath effluents . leaching of dye from the loaded fungal biomass (Bidisha et al.,2006). .. Orange 7, Methyl Orange and Methyl Red) with regard to. **Fungal Decolourisation of Methyl Orange and Methyl Red / 978-3** colors by aerobic/anaerobic bacterial and fungal degradation . In continuation some scientists study the decolorization. 73 of a mixture of methyl blue, erichrome black T and phenol red dyes . superior coagulant system on comparison (Verma et . Sulphonated Azo dyes, Acid Orange 7 (AO7) and Acid Red 88 (AR88). **Microbial Decolorization of Methyl Orange Dye by Pseudomonas : Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study (9783659516696)** by A.G.Raja Lakshmi and a great selection **Dye Decolourisation Using Two Klebsiella Strains - NCBI - NIH Find great deals for Fungal Decolourisation of Methyl Orange and Methyl Red by Lakshmi a G Raja (Paperback / softback, 2014).** Shop with

*confidence on eBay! **Fungal Decolourisation of Methyl Orange and Methyl Red / 978-3** Buy Fungal Decolourisation of Methyl Orange and Methyl Red: A Comparative Study on ? FREE SHIPPING on qualified orders.*